EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L3	872	422/82.05-82.11.ccls.	US-PGPUB	OR	ON	2009/12/14 16:18
L4	7730	435/7.1.cdls.	US-PGPUB	OR	ON	2009/12/14 16:18
L6	148	(resonan\$4 or resona\$5) near6 (optical or cavity) near6 (optical or cavity) and (reflect\$4 near4 (surface or layer\$4)) and (space or spacing or gap or spac\$4) near8 (drive or motor or controller or control\$4 or adjuster or adjust\$5) and ("422" or "435" or "436" or "356"). clas.	USPAT	OR	ON	2009/12/14
L7	12	unlu.in. and resonan\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2009/12/14 16:21
L8	18	6 and (biosensor or bio \$sens\$4 or biosens\$4)	USPAT	OR	ON	2009/12/14 16:22
L9	579	356/519,454.ccls.	USPAT	OR	ON	2009/12/14 16:22
L10	485	356/136,454,480.cds.	USPAT	OR	ON	2009/12/14 16:23
L11	2200	436/164.ccls.	USPAT	OR	ON	2009/12/14 16:24
L12	2704	436/164,165.ccls.	USPAT	OR	ON	2009/12/14 16:24
L13	1598	385/12.cds.	USPAT	OR	ON	2009/12/14 16:25
L14	592	436/164,165.ccls.	US-PGPUB	OR	ON	2009/12/14 16:25

S170	189	(resonan\$4 or resona\$5) near6 (optical or cavity) and (reflect\$4 near4 (surface or layer\$4)) and (space or spacing or gap or spac\$4) with (drive or motor or controller or controlled or adjuster or adjust\$5) and ("422" or "435" or "436" or "356"). clas.	USPAT	OR	ON	2009/12/09 12:05
S171	357	(resonan\$4 or resona\$5) near6 (optical or cavity) and (reflect\$4 near4 (surface or layer\$4)) and (space or spacing or gap or spac\$4) with (drive or motor or controller or control\$4 or adjuster or adjust\$5) and ("422" or "435" or "436" or "356"). clas.	US PGPUB; USPAT; FPRS; EPO; JPO	OR	ON	2009/12/09 12:05
S172	326	(biosensor or biosens\$4 or bio\$1sens\$4) and ("435" or "436" or "422"). clas. and (spacing or gap or space) with (adjust\$4 or control\$4 or vary\$4)	USPAT	OR	ON	2009/12/09 12:06
S173	148	(resonan\$4 or resona\$5) near6 (optical or cavity) and (reflect\$4 near4 (surface or layer\$4)) and (space or spacing or gap or spac\$4) near8 (drive or motor or controller or control\$4 or adjuster or adjust\$5) and ("422" or "435" or "436" or "356"). clas.	USPAT	OR	ON	2009/12/09 12:09
S174	293	(resonan\$4 or resona\$5) near6 (optical or cavity) and (reflect\$4 near4 (surface or layer\$4)) and (space or spacing or gap or spac\$4) near8 (drive or motor or controller or control\$4 or adjuster or adjust\$5) and ("422" or "435" or "436" or "356"). clas.	US-PCPUB; USPAT; FPRS; EPO; JPO	OR	ON	2009/12/09 12:12

S175	0	422/82.05-82.11.ccls. and reflective near5 (surface or substrate or layer) near8 (array or pattern) and (space or spacing or gap or space \$4) near8 (drive or motor or controller or controls4 or adjuster or adjust\$5)	USPAT	OR	ON	2009/12/09 12:23
S176	14	422/82.05-82.11.ccls. and cavity with (array or pattern) and (space or spacing or gap or spac \$4) near8 (drive or motor or controller or control\$4 or adjuster or adjust\$5)	USPAT	OR	ON	2009/12/09 12:24
S177	2131	cavity with (array or pattern) and (space or spacing or gap or spac \$4) near8 (drive or motor or controller or control\$4 or adjuster or adjust\$5)	USPAT	OR		2009/12/09 12:24
S178	275	("250" or "356").clas. and cavity with (array or pattern) and (space or spacing or gap or spac \$4) near8 (drive or motor or controller or control\$4 or adjuster or adjust\$5)	US PGPUB; USPAT; FPRS; EPO; JPO	OR	ON	2009/12/09 12:26
S179	1	"20060182659".pn. and region	US-PGPUB; USPAT; FPRS; EPO; JPO	OR	ON	2009/12/09 12:26
S180	1	"20020068018".pn.	US-PGPUB; USPAT; FPRS; EPO; JPO	OR	ON	2009/12/09 12:32
S181	131	resonan\$3 near3 optic\$4 near3 cavit\$3 same (biosensor or bio\$sens\$4 or sensor)	US-PGPUB; USPAT; FPRS; EPO; JPO	OR	ON	2009/12/09 12:34
S182	1	"7384797".pn.	US-PGPUB; USPAT; FPRS; EPO; JPO	OR	ON	2009/12/09 12:36
S183	16	("4857273" "5244636" "5340715" "5344784" "5347784" "5434663" "5525466" "5742633" "5742531" "5766957" "5824023" "5835231" "5943136" "6020207" "6210910" "6333458"). PN. OR ("7384797"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/12/09 12:36

S184	25	S181 and ("385" or "422" or "436").clas.	US-PGPUB; USPAT; FPRS; EPO; JPO	OR	ON	2009/12/09 12:43
S185	131	resonan\$3 near3 optic\$4 near3 cavit\$3 same (biosensor or bio\$sens\$4 or sensor)	US-PGPUB; USPAT; FPRS; EPO; JPO	OR	ON	2009/12/10 10:44
S186	25	S185 and ("385" or "422" or "436").clas.	US-PGPUB; USPAT; FPRS; EPO; JPO	OR	ON	2009/12/10 10:44
S187	16	("4857273" "5244636" "5340715" "5344784" "5347784" "5434663" "55425466" "5742633" "5742531" "5766957" "5824023" "6835231" "5943136" "6020207" "6210910" "6333458"). PN. OR ("7384797"). URPN.	US-PGPUB; USPAT; USOCR	CR	OFF	2009/12/10 10:47
S188	275	("250" or "356").clas. and cavity with (array or pattern) and (space or spacing or gap or spac \$4) near8 (drive or motor or controller or controls4 or adjuster or adjust\$5)	US-PGPUB; USPAT; FPRS; EPO; JPO	OR	ON	2009/12/10 10:47
S189	14	422/82.05-82.11.ccls. and cavity with (array or pattern) and (space or spacing or gap or spac \$4) near8 (drive or motor or controller or control\$4 or adjuster or adjust\$5)	USPAT	OR	ON	2009/12/10 10:48
S190	148	(resonan\$4 or resona\$5) near6 (optical or cavity) and (reflect\$4 near4 (surface or layer\$4)) and (space or spacing or gap or spac\$4) near8 (drive or motor or controller or control\$4 or adjuster or adjust\$5) and ("422" or "435" or "436" or "356"). clas.	USPAT	OR	ON	2009/12/10 10:48
S191	8	"("4859060" "4945230" "5437840" "5591407" "5818586" "5867267" "6078395" "6649403"). PN. OR ("7425453"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/12/10 11:10

S192	5	S191 and resonan\$5	US-PGPUB; USPAT; USOCR	OR	OFF	2009/12/10 11:13
S195	6	S191 and (cavity or cavities)	US-PGPUB; USPAT; USOCR	OR ON		2009/12/10 11:29
S196	24	("4859060" "5561523" "5646729" "5909280"). PN. OR ("6078395"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/12/10 11:31
S198	73	(spr or surface near3 plasmon) same (captur\$4 or bind\$4) and ((mirror or (reflecting or reflective) near2 surface)) with (spac\$3 or adjust\$4 or gap or distance)	US-PGPUB; USPAT	OR	OFF	2009/12/10 12:04
S199	1	"20020068018".pn.	US-PGPUB; USPAT	OR	OFF	2009/12/10 12:31
S201	1174	((mirror or (reflecting or reflective) near2 surface)) with (maintain \$4 or adjust\$4 or keep or stabilize or stabl\$3) near6 parallel	US-PGPUB; USPAT	OR	OFF	2009/12/10 12:34
\$202	130	((mirror or (reflecting or reflective) near 2 surface)) with (maintain \$4 or adjust \$4 or keep or stabilize or stabils) near6 parallel and (biosensor or spr or surface near3 plasmon or resonan\$4 or binding)	US-PCPUB; USPAT	OR	OFF	2009/12/10 12:34
\$203	193	((mirror or (reflecting or reflective) near 2 surface)) with (maintain \$4 or adjust\$4 or keep or stabilize or stabis3) near6 parallel and (biosensor or spr or surface near3 plasmon or resonan\$4 or binding)	US-PCPUB; USPAT	OR	ON	2009/12/10 12:34
\$204	38	S203 and captur\$4	US-PGPUB; USPAT	OR	ON	2009/12/10 12:38
\$205	84	S203 and (captur\$4 or attract\$4)	US-PGPUB; USPAT	OR	ON	2009/12/10 12:38
\$206	19	\$205 and ("356" or "435" or "422" or "436").clas.	US-PGPUB; USPAT	OR	ON	2009/12/10 12:43
S207	1	"20020182716".pn.	US-PGPUB; USPAT	OR	ON	2009/12/10 12:52

S208	1	"200201827 (array or pa resonan\$4)	716".pn. and attern or	US-PGPUB; USPAT	OR	ON	2009/12/10 12:54
809	87	(array or pr resonans/) ("20020182" 20030157; 200400778; 200500268; 200500268; 200500268; 200500268; 200500268; 2121167; 24674878; 2525069	attern or Title		OR	OFF	
		"6773616" "6861263"	"6808954" "6867900" "6975891"	***************************************	***************************************	***************************************	***************************************

EAST Search History (Interference)

- < This search history is empty>
- 12/14/2009 4:30:01 PM
- C:\ Documents and Settings\ nturk\ My Documents\ EAST\ Workspaces\ 10549991.wsp